
EARTHEN

The resurgence of earth tones





Earthen celebrates the resurgence of **natural colors** in interiors from warm terracotta and cool browns to serene greens, yellows, and blues, creating welcoming spaces that reconnect us with nature.

Rooted in **biophilic design** and inspired by **clay**, the collection combines a smooth **matte** field tile with a distinctive **flute** deco, adding rich texture and depth.

Engineered for **versatility**, Earthen comes in 3"x12", 12"x12", 12"x24", a 2"x2" mosaic, and a striking 10"x10" **hexagon**, plus **grip finishes** and robust **2CM porcelain pavers** for wet indoor or outdoor areas, delivering endless design possibilities.

Fully **carbon-neutral**, Earthen lets you craft elegant, **sustainable** interiors while reducing **environmental impact**.

10 Colors


























WHISPER

Sizes and finishes

Flute 12"x24" 1105874




Matte / Grip 12"x24" 1105854 Matte / 1105864 Grip



Matte 12"x12" 1105844







Hexagon 10"x10" 1105885

ALMOND

Flute 12"x24" 1105876



Matte / Grip 12"x24" 1105856 Matte / 1105866 Grip



Matte 12"x12" 1105846



Matte 3"x12" 1105898





Hexagon 10"x10" 1105887



ALABASTER

Sizes and finishes

Flute 12"x24" 1105875



Matte / Grip 12"x24" 1105855 Matte / 1105865 Grip



Matte 12"x12" 1105845



Matte 3"x12" 1105897



2"x2" Mosaic 1105918



Hexagon 10"x10" 1105886



MOKA

Flute 12"x24" 1105877



Matte / Grip 12"x24" 1105857 Matte / 1105867 Grip




Matte 12"x12" 1105847



Matte 3"x12" 1105899



2"x2" Mosaic 1105920






SMOKE

Sizes and finishes

Flute 12"x24" 1105878



Matte / Grip 12"x24" 1105858 Matte / 1105868 Grip



Matte 12"x12" 1105848



Matte 3"x12" 1105900





Hexagon 10"x10" 1105889



MARINE

Flute 12"x24" 1105880



Matte / Grip 12"x24" 1105860 Matte / 1105870 Grip



Matte 12"x12" 1105850



Matte 3"x12" 1105902



2"x2" Mosaic 1105923



Hexagon 10"x10" 1105891



JADE

Sizes and finishes

Flute 12"x24" 1105879



Matte / Grip 12"x24" 1105859 Matte / 1105869 Grip



Matte 12"x12" 1105849



Matte 3"x12" 1105901



2"x2" Mosaic 1105922



Hexagon 10"x10" 1105890



TERRACOTTA

Flute 12"x24" 1105881



Matte / Grip 12"x24" 1105861 Matte / 1105871 Grip



Matte 12"x12" 1105851



Matte 3"x12" 1105903



2"x2" Mosaic 1105924



Hexagon 10"x10" 1105892



BUTTERCUP

Sizes and finishes

Flute 12"x24" 1105882



Matte / Grip 12"x24" 1105862 Matte / 1105872 Grip



Matte 12"x12" 1105852



Matte 3"x12" 1105904





Hexagon 10"x10" 1105893




MARRON

Flute 12"x24" 1105883



Matte / Grip 12"x24" 1105863 Matte / 1105873 Grip



Matte 12"x12" 1105853



Matte 3"x12" 1105905



2"x2" Mosaic 1105926




Hexagon 10"x10" 1105894



COBBLESTONE

Sizes and finishes

Thickness 20 mm





2CM Grip 24"x24" 1105942


WHITE VINTAGE GLOSSY

Sizes and finishes

Thickness 8 mm



3"x12" 1105906







MILE®stone is proud to regionally source 100% of the raw materials used in the manufacturing process of the body of our tile, supporting local industries and reducing transportation related carbon emissions.



10"x10" Hexagon





Wall Earthen Hexagon Alabaster / Moka 10"x10" Matte





Our products contain up to 60% recycled content, contribute to LEED & WELL certification, and do not contribute to the impact of VOCs in built spaces.



12"x24" Flute





Earthen Whisper 12"x24" Flute





3"x12" + Vintage White Glossy





Wall Earthen Marron 3"x12" Matte Countertop Travertine Titanium Pre-Fab 32"x96" Matte





12"x12" + 12"x24"





Wall Earthen All Colors 12"x12" Matte Floor Earthen Whisper 12"x24" Matte










24"x24" 2CM Cobblestone



It is estimated that 80% of the total greenhouse gas emissions resulting from new building projects over the next 10 years will come from embodied emissions.

Choosing Earthen for your next project shows the eco-conscious mentality necessary to combat the global climate emergency.





Colors & Sizes


Calibrated Porcelain Tile

Colors	3"x12"	12"x12"	12"x24"	12"x24" Flute	10"x10" Hexagon	24"x24" 2CM	12"x12" (2"x2") Mosaic	3"x12" Bullnose	6"x12" Cove Base
WHISPER	Matte 1105896	Matte 1105844	Matte 1105854 Grip 1105864	Flute 1105874	Matte 1105885	-	Matte 1105917	Matte 1105907	Matte 1105928
ALABASTER	Matte 1105897	Matte 1105845	Matte 1105855 Grip 1105865	Flute 1105875	Matte 1105886	-	Matte 1105918	Matte 1105908	Matte 1105929
ALMOND	Matte 1105898	Matte 1105846	Matte 1105856 Grip 1105866	Flute 1105876	Matte 1105887	-	Matte 1105919	Matte 1105909	Matte 1105930
MOKA	Matte 1105899	Matte 1105847	Matte 1105857 Grip 1105867	Flute 1105877	Matte 1105888	-	Matte 1105920	Matte 1105910	Matte 1105931
SMOKE	Matte 1105900	Matte 1105848	Matte 1105858 Grip 1105868	Flute 1105878	Matte 1105889	-	Matte 1105921	Matte 1105911	Matte 1105932
JADE	Matte 1105901	Matte 1105849	Matte 1105859 Grip 1105869	Flute 1105879	Matte 1105890	-	Matte 1105922	Matte 1105912	Matte 1105933
MARINE	Matte 1105902	Matte 1105850	Matte 1105860 Grip 1105870	Flute 1105880	Matte 1105891	-	Matte 1105923	Matte 1105913	Matte 1105934
TERRACOTTA	Matte 1105903	Matte 1105851	Matte 1105861 Grip 1105871	Flute 1105881	Matte 1105892	-	Matte 1105924	Matte 1105914	Matte 1105935
BUTTERCUP	Matte 1105904	Matte 1105852	Matte 1105862 Grip 1105872	Flute 1105882	Matte 1105893	-	Matte 1105925	Matte 1105915	Matte 1105938
MARRON	Matte 1105905	Matte 1105853	Matte 1105863 Grip 1105873	Flute 1105883	Matte 1105894	-	Matte 1105926	Matte 1105916	Matte 1105939
COBBLESTONE	-	-	-	-	-	Grip 1105942	-	-	-
VINTAGE WHITE	Glossy 1105906	-	-	-	-	-	-	-	-

Cleaning & Maintenance / Routine Care Instructions



Scan the QR code with your smartphone.



Technical Specifications

This product meets or exceeds all standards described in ANSI A137.1 & A137.3. Este product cumple o exceed todos los estandares de ANSI A137.1 & A137.3.

	SPECS	TEST METHOD	INDUSTRY STANDARD	MILE®stone VALUES		
	WATER ABSORPTION	ASTM C373	≤0.5%	≤0.5%		
*	SURFACE WEAR RESISTANCE	ANSI A137.1	Surface Wear-resistance properties of glazed vitreous and porcelain tiles.	ALL RESIDENTIAL / COMMERCIAL		
^	CHEMICAL RESISTANCE	ASTM C650	A tile sample is placed in continuous contact with a variety of chemicals for 24 hours. Sample must show no visible defects.	NOT AFFECTED		
X .	50054 7 10	ANSI A326.3	INDOOR ≥0.42 WET	≥0.42 WET (MATTE SURFACES)		
*	D.C.O.F. AcuTest®		OUTDOOR >0.55 WET	>0.55 WET (2CM & GRIP)		
*	STAIN RESISTANCE	ASTM C1378	Surfaces are exposed to staining agents for 24 hours followed by four cleaning procedures. Results are recorded post cleaning.	NOT AFFECTED		
	BREAKING STRENGTH GAUGED PORCELAIN 6MM	ASTM C1505	≥175 lbf	≥200 lbf		
۵	BREAKING STRENGTH	ASTM C648	≥275 lbf	≥300 lbf		
	BREAKING STRENGTH OUTDOOR 2CM	ASTM 1505	2000 lbf (10.9 kN)	≥2500 lbf		
*	RESISTANCE TO FREEZE	ASTM C1026	A tile sample is subjected to repeated processes of freezing and thawing. Sample must show no visible defects.	RESISTANT		
	WARPAGE EDGE	ASTM C485	±0.40% or ±0.05 in (±1.8 mm)	± 0.40%	Rectified	
	WARPAGE DIAGONAL	ASTM C485	±0.40% or ±0.07 in (±1.8 mm)	± 0.40%	Rectified	
H	WEDGING	ASTM C502	±0.25% or ±0.03 in (±0.8 mm)	± 0.25%	Rectified	
	WARPAGE EDGE	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated	
	WARPAGE DIAGONAL	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated	
H	WEDGING	ASTM C502	±0.50% or ±0.08 in (±2.0 mm)	± 0.50%	Calibrated	
ī <u></u>	THICKNESS GAUGED PORCELAIN	ASTM C499	Range: ± 0.02 in	≤0.02 in		
	THICKNESS	ASTM C499	Range: ± 0.04 in	≤0.04 in		
	LENGTH / WIDTH VARIATION	ASTM C499	±0.25% or ±0.03 in (±0.8 mm)	±0.25%		

[•] Due to the inherent nature of fired porcelain tile, it is important to note that the coefficent of friction may vary within and between product runs.

Green Certifications & Accreditations

DESCRIPTION



Declare labels disclose all intentionally added ingredients and residuals present in the final product. Being Red List Free means the worst materials, chemicals, and elements for human and environmental health are not present within our



The Health Product Declaration Collaborative transparency declaration for all of Florim USA's naturally occurring materials.



Certification of plant and product specific Environmental Product Declaration (EPD) which tracks environmental impacts from the production of porcelain tile.



Tile Council of North America and the American National Standards Institute's standard for sustainability and environmental impact.



Underwriter's Laboratories certification of low emitting materials. Florim USA is Green Guard Gold certified.



Defines post-consumer content of as much as 3% recycled material which reduces landfill impact.





Defines pre-consumer content of as much as 45% recycled material which reduces our carbon footprint. Certified by Bureau Veritas.



Florim USA's sustainability and social practices support the mission of The International Living INTERNATIONAL Support the mission of The International Living Future Institute which strives to create a socially just, culturally rich, and ecologically restorative community



USGBC is committed to suit a more sustainable life. Florim USA supports this mission by manufacturing products which aid architects in achieving USGBC certification.



Florim USA is proud to regionally source 100% of the raw materials used in the production of the body of our tile, supporting local industries and sustainable practices.



Florim USA actively participates in the Tile Council of North America which allows us to be on the forefront of advances in the tile industry and its standards



The Tennessee Recycling Coalition is dedicated to promoting recycling and sustainable material management practices, and awarded Florim USA the Tennessee Recycler of the Year award for



ISO 9001 & ISO 14001 are globally recognized standards. ISO 9001 certifies that Florim USA products and practices continually meet and exceed customer and regulatory requirements. ISO 14001 certifies that Florim USA complies with environmental regulations and that it's manufacturing practices are environmentally conscious.



Florim USA updated its corporate charter in 2022 to become a Benefit Corporation. Our company is committed to maintaining this designation through initiatives focused on sustainability, social responsibility, ethical business practices and transparent, annual reporting on our social and environmental performance.

Progress that invests in the entire society

As an active member of the U.S Green Building Council. MILE stone spreads awareness to the community and encourages the use of building solutions through environmentally friendly practices.

Our products positively contribute to the requirements for obtaining the LEED (Leadership in Energy and Environmental Design) and WELL (IWBI) certifications.

A commitment to environmental sustainability and responsibility

We are committed to conscious development that minimizes the negative impact of manufacturing production on the environment. Our general approach to sustainability intersects with our business strategy to embrace three areas of responsibility: economic, social, and environmental. Some ways we prove this are:

- Products containing as much as 45% recycled content.
- · Post-consumer recycled content levels as much as 3%.
- Zero industrial wastewater discharge.
- A 99% internal process recycling rate.
- 100% regionally sourced raw materials used in the production of the body of our tile, supporting local industries and sustainable practices.

MILE stone is taking these and other steps, as well as actively investing to reduce carbon emissions to ensure that we reach full carbon neutrality.







300 International Blvd. Clarksville, TN 37040 | www.milestonetiles.com | 1-877-356-7461

