



# PRE-FAB

## 32" X 96"

12 MM THICKNESS  
(1/2" THICK)

MULTIPURPOSE  
SOLUTION FOR  
RESIDENTIAL AND  
COMMERCIAL  
SPACES.

**MI****E** *stone*

Sustainable Tile, Made in the USA

MILE<sup>®</sup> *stone*'s **PRE-FAB 32"x96"** product range offers solutions for **versatile paneling**, suitable for a wide range of interior and exterior applications. **Crafted with precision and durability in mind**, these oversized porcelain tiles redefine functionality and aesthetics.

MILE<sup>®</sup> *stone*'s PRE-FAB, offered in a 32"x96" size, provides **multipurpose solutions** for various applications in **residential and commercial spaces**.


REDEFINING  
FUNCTIONALITY  
AND AESTHETICS.

# A WORLD OF DESIGN POSSIBILITIES.



## Why choose PRE-FAB?

- **Quick and easy installation**  
minimal tools required.
- **Lightweight and portable**  
easy to handle and transport.
- **Versatile**  
great for countertops, showers, and custom furniture.
- **Perfect DIY option**  
ideal for fast and affordable remodelling.
- **Eco-friendly and sustainable**  
an environmentally responsible solution.



48"x110"

**PRE-FAB**  
32"x96"

A SUSTAINABLE SOLUTION  
TO TRANSFORM ANY SPACE.  
PRE-FAB REDUCES WASTE  
AND ENVIRONMENTAL  
FOOTPRINT.

Wall imprint\_48"x110" Underglazed\_Ombre\_Warm\_Matte  
Table imprint\_Pre-Fab\_32"x96" Intaglio\_Kaolin\_Matte  
Countertop EcoStone\_Pre-Fab\_32"x96" Fog\_Matte  
Floor imprint\_24"x24" Intaglio\_Cool\_Matte



*Wall imprint\_48"x110"\_Underglazed\_Ombre\_Warm\_Matte  
Table imprint\_Pre-Fab\_32"x96"\_Intaglio\_Kaolin\_Matte  
Floor imprint\_24"x24"\_Intaglio\_Cool\_Matte*





Wall imprint\_48"x110" Underglazed Ombre Warm Matte  
Countertop EcoStone\_Pre-Fab\_32"x96" Fog\_Matte  
Table imprint\_Pre-Fab\_32"x96" Intaglio\_Kaolin\_Matte  
Floor imprint\_24"x24" Intaglio\_Cool\_Matte

PRE-FAB 32"x96" porcelain tiles offer unmatched versatility. Their **12mm (1/2") thickness and rectified size** ensures **durability** during fabrication, and **strength** for handling and shipping with confidence.

**Resistant to mold, mildew, stains, UV, weather, and wear**, these porcelain tiles are ideal for **indoor and outdoor use**. Combining innovation, durability, and design flexibility, MILE<sup>®</sup>stone's PRE-FAB material opens up **endless possibilities for stylish, functional spaces**.



Wall Farmhouse\_Living\_48"x110" Millstone\_Matte  
Table Jem\_Pre-Fab\_32"x96" Sharknose\_Adagio\_White\_Matte  
Floor Farmhouse\_Living\_24"x24" Slate\_2CM

PRE-FAB 32"X96"  
**ELEVATES** INTERIOR  
AND EXTERIOR DESIGN  
POSSIBILITIES.



Wall imprint 24"x48" Strata\_Kaolin\_Matte  
Countertop Travertine\_Pre-Fab\_32"x96" L-Shaped Top\_Silver\_Matte  
Floor Farmhouse\_Living\_24"x24" Slate\_2CM





*Wall imprint\_48"x110"*  
*Underglazed\_Ombre\_Warm\_Matte*  
*Table Ecostone\_Pre-Fab\_32"x96"*  
*Sharknose\_Jute\_Cross\_Cut\_Matte*  
*Floor Ecostone\_48"x48"*  
*Jute\_Cross\_Cut\_Matte*



*Wall Farmhouse\_Living\_48"x110"\_Millstone\_Matte  
Table Jem\_Pre-Fab\_32"x96"\_Sharknose\_Adagio\_White\_Matte  
Floor Farmhouse\_Living\_24"x24"\_Slate\_2CM*



*Wall Farmhouse\_Living\_Pre-Fab\_32"x96"\_Millstone\_Matte  
Vanity Farmhouse\_Living\_Pre-Fab\_32"x96"\_Sharknose\_Millstone\_Matte  
Floor Farmhouse\_Living\_48"x48"\_Millstone\_Matte*





IDEAL FOR COUNTERTOPS  
AND SURFACES, ASSURING  
DURABILITY, STAIN, AND  
CHEMICAL RESISTANCE.

*Countertop Ecostone\_Pre-Fab\_32"x96"\_Sharknose\_Jute\_Cross\_Cut\_Matte  
Floor Imprint\_Intaglio\_24"x48"\_Kaolin\_Matte*



# JEM ADAGIO WHITE




## Size and finishes


32"x96"  
12 mm thickness  
(1/2 inch thick)

1105112  
Matte rectified

1105198  
Sharknose  
Matte rectified



1106072  
L-Shaped Top  
Matte rectified



# JEM ARIA GOLD




## Size and finishes


32"x96"  
12 mm thickness  
(1/2 inch thick)

1105113  
Matte rectified

1105199  
Sharknose  
Matte rectified




1106073  
L-Shaped Top  
Matte rectified




1105205  
Polished rectified

1105206  
Sharknose  
Polished rectified



1106074  
L-Shaped Top  
Polished rectified



## ECOSTONE FOG CROSS CUT




### Size and finishes


32"x96"  
12 mm thickness  
(1/2 inch thick)

1105109  
Matte rectified

1105195  
Sharknose  
Matte rectified



1106067  
L-Shaped Top  
Matte rectified



## ECOSTONE FOSSIL CROSS CUT




### Size and finishes


32"x96"  
12 mm thickness  
(1/2 inch thick)

1105110  
Matte rectified

1105196  
Sharknose  
Matte rectified



1106069  
L-Shaped Top  
Matte rectified



## ECOSTONE JUTE CROSS CUT




### Size and finishes

32"x96"  
12 mm thickness  
(1/2 inch thick)

1105111  
Matte rectified

1105197  
Sharknose  
Matte rectified



1106068  
L-Shaped Top  
Matte rectified



## IMPRINT KAOLIN




### Size and finishes


32"x96"  
12 mm thickness  
(1/2 inch thick)

1105101  
Matte rectified

1105194  
Sharknose  
Matte rectified



1106373  
L-Shaped Top  
Matte rectified



## FARMHOUSE LIVING ALABASTER




### Size and finishes


32"x96"  
12 mm thickness  
(1/2 inch thick)

1105114  
Matte rectified

1105200  
Sharknose  
Matte rectified



1106070  
L-Shaped Top  
Matte rectified



## FARMHOUSE LIVING MILLSTONE




### Size and finishes


32"x96"  
12 mm thickness  
(1/2 inch thick)

1105115  
Matte rectified

1105201  
Sharknose  
Matte rectified



1106071  
L-Shaped Top  
Matte rectified





## TRAVERTINE ROMAN




### Size and finishes


32"x96"  
12 mm thickness  
(1/2 inch thick)

1105671  
Matte rectified

1105676  
Sharknose  
Matte rectified



1106075  
L-Shaped Top  
Matte rectified



## TRAVERTINE NAVONA




### Size and finishes


32"x96"  
12 mm thickness  
(1/2 inch thick)

1105672  
Matte rectified

1105677  
Sharknose  
Matte rectified



1106076  
L-Shaped Top  
Matte rectified



# TRAVERTINE SILVER




## Size and finishes


32"x96"  
12 mm thickness  
(1/2 inch thick)

1105673  
Matte rectified

1105678  
Sharknose  
Matte rectified



1106077  
L-Shaped Top  
Matte rectified



# TRAVERTINE TITANIUM




## Size and finishes


32"x96"  
12 mm thickness  
(1/2 inch thick)

1105674  
Matte rectified

1105679  
Sharknose  
Matte rectified



1106078  
L-Shaped Top  
Matte rectified



# TRAVERTINE BOLD




## Size and finishes


32"x96"  
12 mm thickness  
(1/2 inch thick)

1105675  
Matte rectified

1105680  
Sharknose  
Matte rectified



1106079  
L-Shaped Top  
Matte rectified



## Colors & Sizes

Colors	32"x96"	32"x96" Sharknose	25.5"x96" L-Shaped Top
ADAGIO WHITE - JEM	Matte 1105112	Matte 1105198	Matte 1106072
ARIA GOLD - JEM	Matte 1105113	Matte 1105199	Matte 1106073
	Polished 1105205	Polished 1105206	Polished 1106074
FOG CROSS CUT - ECOSTONE	Matte 1105109	Matte 1105195	Matte 1106067
KAOLIN - IMPRINT	Matte 1105101	Matte 1105194	Matte 1106373
ALABASTER - FARMHOUSE LIVING	Matte 1105114	Matte 1105200	Matte 1106070
JUTE CROSS CUT - ECOSTONE	Matte 1105111	Matte 1105197	Matte 1106068
FOSSIL CROSS CUT - ECOSTONE	Matte 1105110	Matte 1105196	Matte 1106069
MILLSTONE - FARMHOUSE LIVING	Matte 1105115	Matte 1105201	Matte 1106071
ROMAN - TRAVERTINE	Matte 1105671	Matte 1105676	Matte 1106075
NAVONA - TRAVERTINE	Matte 1105672	Matte 1005677	Matte 1106076
SILVER - TRAVERTINE	Matte 1105673	Matte 1005678	Matte 1106077
TITANIUM - TRAVERTINE	Matte 1105674	Matte 1105679	Matte 1106078
BOLD - TRAVERTINE	Matte 1105675	Matte 1105680	Matte 1106079

Colors shown may vary from actual product. Final selection should be made from actual product samples.

## Cleaning & Maintenance / Routine Care Instructions


















Scan the QR code with your smartphone.

# Technical Specifications














This product meets or exceeds all standards described in ANSI A137.1 & A137.3.

Este producto cumple o excede todos los estandares de ANSI A137.1 & A137.3.

	SPECS	TEST METHOD	INDUSTRY STANDARD	MILE <sup>stone</sup> VALUES	
	WATER ABSORPTION	ASTM C373	≤0.5%	≤0.5%	
	SURFACE WEAR RESISTANCE	ANSI A137.1	Surface Wear-resistance properties of glazed vitreous and porcelain tiles.	ALL RESIDENTIAL / COMMERCIAL	
	CHEMICAL RESISTANCE	ASTM C650	A tile sample is placed in continuous contact with a variety of chemicals for 24 hours. Sample must show no visible defects.	NOT AFFECTED	
	D.C.O.F. AcuTest®	ANSI A326.3	INDOOR ≥0.42 WET	≥0.42 WET (MATTE SURFACES)	
			OUTDOOR >0.55 WET	>0.55 WET (2CM & GRIP)	
	STAIN RESISTANCE	ASTM C1378	Surfaces are exposed to staining agents for 24 hours followed by four cleaning procedures. Results are recorded post cleaning.	NOT AFFECTED	
	BREAKING STRENGTH GAUGED PORCELAIN 6MM	ASTM C1505	≥175 lbf	≥200 lbf	
	BREAKING STRENGTH	ASTM C648	≥275 lbf	≥300 lbf	
	BREAKING STRENGTH OUTDOOR 2CM	ASTM 1505	2000 lbf (10.9 kN)	≥2500 lbf	
	RESISTANCE TO FREEZE	ASTM C1026	A tile sample is subjected to repeated processes of freezing and thawing. Sample must show no visible defects.	RESISTANT	
	WARPAGE EDGE	ASTM C485	±0.40% or ±0.05 in (±1.8 mm)	± 0.40%	Rectified
	WARPAGE DIAGONAL	ASTM C485	±0.40% or ±0.07 in (±1.8 mm)	± 0.40%	Rectified
	WEDGING	ASTM C502	±0.25% or ±0.03 in (±0.8 mm)	± 0.25%	Rectified
	WARPAGE EDGE	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WARPAGE DIAGONAL	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WEDGING	ASTM C502	±0.50% or ±0.08 in (±2.0 mm)	± 0.50%	Calibrated
	THICKNESS GAUGED PORCELAIN	ASTM C499	Range: ± 0.02 in	≤0.02 in	
	THICKNESS	ASTM C499	Range: ± 0.04 in	≤0.04 in	
	LENGTH / WIDTH VARIATION	ASTM C499	±0.25% or ±0.03 in (±0.8 mm)	±0.25%	

• Due to the inherent nature of fired porcelain tile, it is important to note that the coefficient of friction may vary within and between product runs.

# Green Certifications & Accreditations

	DESCRIPTION
	Declare labels disclose all intentionally added ingredients and residuals present in the final product. Being Red List Free means the worst materials, chemicals, and elements for human and environmental health are not present within our products.
	The Health Product Declaration Collaborative transparency declaration for all of Florim USA's naturally occurring materials.
	Certification of plant and product specific Environmental Product Declaration (EPD) which tracks environmental impacts from the production of porcelain tile.
	Tile Council of North America and the American National Standards Institute's standard for sustainability and environmental impact.
	Underwriter's Laboratories certification of low emitting materials. Florim USA is Green Guard Gold certified.
	Defines post-consumer content of as much as 3% recycled material which reduces landfill impact. Certified by Bureau Veritas.
	Defines pre-consumer content of as much as 45% recycled material which reduces our carbon footprint. Certified by Bureau Veritas.
	Florim USA's sustainability and social practices support the mission of The International Living Future Institute which strives to create a socially just, culturally rich, and ecologically restorative community.
	USGBC is committed to suit a more sustainable life. Florim USA supports this mission by manufacturing products which aid architects in achieving USGBC certification.
	Florim USA is proud to regionally source 100% of the raw materials used in the production of the body of our tile, supporting local industries and sustainable practices.
	Florim USA actively participates in the Tile Council of North America which allows us to be on the forefront of advances in the tile industry and its standards.
	The Tennessee Recycling Coalition is dedicated to promoting recycling and sustainable material management practices, and awarded Florim USA the Tennessee Recycler of the Year award for 2020.
	ISO 9001 & ISO 14001 are globally recognized standards. ISO 9001 certifies that Florim USA products and practices continually meet and exceed customer and regulatory requirements. ISO 14001 certifies that Florim USA complies with environmental regulations and that it's manufacturing practices are environmentally conscious.
	Florim USA updated its corporate charter in 2022 to become a Benefit Corporation. Our company is committed to maintaining this designation through initiatives focused on sustainability, social responsibility, ethical business practices and transparent, annual reporting on our social and environmental performance.

## Progress that invests in the entire society

As an active member of the U.S Green Building Council, MILE<sup>stone</sup> spreads awareness to the community and encourages the use of building solutions through environmentally friendly practices.

Our products positively contribute to the requirements for obtaining the LEED (Leadership in Energy and Environmental Design) and WELL (IWBI) certifications.

## A commitment to environmental sustainability and responsibility

We are committed to conscious development that minimizes the negative impact of manufacturing production on the environment. Our general approach to sustainability intersects with our business strategy to embrace three areas of responsibility: economic, social, and environmental. Some ways we prove this are:

- Products containing as much as 45% recycled content.
- Post-consumer recycled content levels as much as 3%.
- Zero industrial wastewater discharge.
- A 99% internal process recycling rate.
- Local sourcing of >95% raw materials (within 500-mile radius of factory) resulting in low transportation related carbon emissions.

MILE<sup>stone</sup> is taking these and other steps, as well as actively investing to reduce carbon emissions to ensure that we reach full carbon neutrality.



# PRE-FAB 32"x96"

Merchandising Tools

## 32"X96" 2 PANEL STAND



**8702273**

Features

2pcs of 32"x96" 12mm  
31"x97"x16"

## PRE-FAB 32"X96" DISPLAY



**8702272**

Features

1pc of 32"x96" 12mm  
20pcs of 6"x12" 12mm  
44"x96"x16"

## TABLETOP 6"x12" DISPLAY



**8702225**

Features

12pcs of 6"x12" 12mm/6mm  
12"x14"x11"

MADE IN THE USA



Sustainable Tile, Made in the USA